FICHA TÉCNICA OFICIAL KIOTI

# K9 2400

## Vehículo utilitario

### TADSA · DELICIAS, CHIHUAHUA

**DISTRIBUCIÓN · REFACCIONES · TALLER · SOPORTE TÉCNICO**


WhatsApp: (656) 102 0031
Celular Delicias: (639) 120 1537
Oficina: (639) 474 3936
Zona: de Chihuahua a Jiménez

Calzada del Charro 909
Col. Carmen Serdán · C.P. 33010
Delicias, Chihuahua, México
ventas@tadsamx.com


La información técnica siguiente corresponde al documento original del fabricante.
Configuración, existencia y condiciones comerciales sujetas a confirmación de TADSA.

ISO 9001
NO.954596

ISO 14001
NO.771475

OHSAS 18001
NO:K033008

# K9 2400

## 24 HP

## SPECIFICATIONS

| MODEL | | K9 2400 (EEC Homologated) |
|---|---|---|
| **ENGINE** | | |
| Model | | 3C100LWU-D2 |
| Type | | 3 Cylinder In-line Vertical, Water Cooled 4 Cycle Diesel Engine |
| Engine Gross(Max) | HP | 24 |
| Rated Revolution(per minute) | RPM | 3000 |
| Fuel Tank | L | 37 |
| Oil Tank | L | 15 |
| **DRIVE TRAIN** | | |
| Type | | Belt CVT |
| Max Speed | km/h | 40 |
| Brake | | Front/rear Hyd. Dry Caliper Disc |
| Steering Type | | Hydraulic Power Steering |
| Suspension | | Independent with Coil Over Shock(Dual A-Arm) |
| Shock Load Adjustment(F/R) | | Cam Adjustment (4 Gear) |
| **TIRES & WHEELS** | | |
| Work Site | F | 25 x 10 - 12 |
| | R | 25 x 10 - 12 |
| Turf | F | 25 x 10 - 12 |
| | R | 25 x 10 - 12 |
| ATV(Mud) | F | 25 x 10 - 12 |
| | R | 25 x 10 - 12 |
| **DIMENSION** | | |
| Length | mm | 3,045 |
| Width | mm | 1,590 |
| Height | mm | 1,970 |
| Wheelbase | mm | 2,180 |
| Ground Clearance | mm | 304 |
| Curb Weight | kg | 930 |
| **CARGO BED** | | |
| Length x Width x Depth | kg | 1,110 x 1,480 x 293 |
| Payload capacity | | 725 |
| Deck Capacity | kg | 500 |
| **NOISE & VIBRATION** | | |
| Noise Level | dB[A] | 83.5 |
| Vibration(Steering Wheel / Pedal / Seat) | m/s2 | 0.9 |
| **ETC** | | |
| Seat Feature | | 1 Suspension Bucket Seat (Driver) / 2 Bench Seat (Passenger) |
| Hood Color | | Red / Green |
| Speedmeter | | Digital Cluster |
| Steering Wheel | | Tilting |
| USB and Power Socket | | Standard |

*The specifications are subject to change without notice.

## OPTIONAL EQUIPMENT

**Wheel**
- Aluminum Wheel (Factory Opt.)
  - Only available with Worksite / ATV(Mud) tyre

**Half Door**
- Half Door (1 Set: 2 Doors)

**Lamp**
- Front Working Lamp
- Fog Lamp
- Front Arch Mud Guard
- Beacon Kit

**Canopy / Windshield**
- Windshield (with Wiper)
- Sun Canopy

**Hitch**
- Winch Bracket

**Hydraulics**
- Hydraulic Dumping Kit
- Remote Hydraulic Kit
- Hand Throttle Kit

**Safety**
- Suspension Dust Guard
- Skid Plate
- Backup Alarm System
- Rear Screen

**Deck**
- Urethane Coating (Factory Opt.)

**ETC**
- Floor Mat
- Headrest
- Hood Storage
- Seatback Cover



**Daedong Kioti Europe B.V.**
Koerilenstraat 2-6, 3199 LR, Maasvlakte
Rotterdam The Netherlands
**Tel.** 31-181-353024 **Web.** www.kioti.eu

Dealer Imprint Area

LIT-UD200-ALL

KIOTI Tractor / Daedong Ind. Co., Ltd. / 03.18

# K9 2400

## THE ULTIMATE UTILITY VEHICLE

- Engine Power 24HP
- Max Speed 40km/h
- Brake Performance Up
- CVT Improvement
- New Design Hood & Ergonomic Design
- Noise & Vibration Reduction
- Double Wishbone Shock Absorber
- Tilting Steering & Digital Cluster

*All product images are for illustrative purposes only and may differ from the actual product.



### Engine Power 24HP

The new eco-friendly diesel engine provides powerful performance and improves fuel efficiency while reducing noise levels.

### Max Speed 40km/h [EEC Homologation]

The more powerful engine and efficient transmission offer the maximum traveling speed up to 40km/h (EEC regulated speed limit). The K9 series will give a delightful working and driving experience.

### Brake Performance Increased

Excellent braking performance is achieved thanks to long lasting front and rear hydraulic disc brakes with a mechanical parking brake. Safety has been enhanced by 30% compared to the previous model.

### CVT Improvement


The K9 series starts smoothly and responds quickly with two speed ranges (Hi/Lo) and 4WD function.



**K9 2400** KIOTI UTV *All product images are for illustrative purposes only and may differ from the actual product.



# NEW EXPERIENCE K9 2400
# DYNAMIC & RIGID WORKHORSE



### Seat Space

The contoured bench seats which are the widest in their class, in combination with a separate bucket seat for the driver give enough room for three people. It fulfills the safety condition of ANSI, SAE and EEC with reinforced ROPS.



### Digital Dashboard

The digital dashboard centrally located to the driver provides improved visibility at any time of the day or night. The operator can check the functions such as a tachometer, hour meter, RPM and Gear range.



### Easy Adjustment of Steering Wheel

The adjustment of the steering wheel is simplified with a push lever allowing easy adjustment to suit the operator's needs.



### Ergonomic Design

The combination of driver-centric controllers and ergonomic interior design gives a more comfortable, agile and in-command driver experience.



### Ergonomic Lever and Switch

Conveniently located car-type operating controls make it easy for anyone to operate and increase the joy of driving.



### Power & USB Sockets

Standard USB port and 12 volt electric socket give good choices to power extra electrical devices.



## Double Wishbone Shock Absorber

Suspension equipped with front and rear wishbone double A arms absorbs the shocks on the road and makes driving more comfortable. It also prevents the K9 leaning to one side and wearing tyres.




## New Design Hood

K9 2400 has a dynamic look with rigid body to make your job and ride more enjoyable.

## Noise and Vibration Reduction

The noise and vibration of new K9 have been reduced by using CAE simulation.






**K9 2400** KIOTI UTV *All product images are for illustrative purposes only and may differ from the actual product.

# NEW GENERATION KIOTI VALUE UTILITY VEHICLE





## Cargo Bed & Hydraulic Dumping Kit (Optional)

Wide cargo bed and 500kg load capacity provide excellent payload capacity. Optional urethane coating for the cargo bed is available for maximum corrosion resistance. With an optional hydraulic dumping kit, it is built for hard work in all conditions.




## Tailgate

Single piece tailgate folds out to 90 degrees and helps for easy loading and unloading.



## Windshield Kit with Wiper (Optional)

Upper positioned wiper fully complies with new homologation and gives good visibility. Openable front windshield makes for a refreshing driving condition with excellent ventilation.



## Bonnet Storage Kit, Floor Mat (Optional)

Bonnet storage kit increases the storage room and gives enhanced convenience. Rubber floor mat gives a more comfortable driving and working experience and also protects from the dust and dirt.



## Front Working Lamp (Optional)

LED lamps improve the visibility in any weather conditions day or night.



## Side Mirror (EEC Homologated)

Side mirrors are folding inward and outward to prevent potential damage in the narrower spaces and reduce the shock after collision with objects during driving.